

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

TABLE OF CONTENTS

FOH 2	1	SR BOX BOOM	20
FOH 1	3	SL LADDER #1	20
FOH 1A	4	SR LADDER #1	21
Apron Ceiling	5	SL LADDER #2	21
LX 1	6	SR LADDER #2	21
LX 2	8	SL LADDER #3	21
LX 3	10	SR LADDER #3	22
LX 4	11	SL LADDER #4	22
LX 5	13	SR LADDER #4	22
LX 6	15	SL Gallery	22
GROUNDROW	17	SL Floor	23
SL BOX BOOM	19	MISC	23
		HOUSE	23

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

FOH 2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Para Zoom 28'-36' 1kW	Curtain Warmer	91	(399)	R26	R132	
2	Para Zoom 28'-36' 1kW	Curtain Warmer	91	(399)	R26	R132	
3	Colortran 20' w/Iris 1kW	FOH Colour Wash	61	(277)	R26	R132	
4	Colortran 20' w/Iris 1kW	FOH Colour Wash	60	(273)	R58	R132	
5	Colortran 20' w/Iris 1kW	FOH Colour Wash	63	(278)	R26	R132	
6	Colortran 20' w/Iris 1kW	FOH Colour Wash	62	(274)	R58	R132	
7	Colortran 12' 1kW	FOH Colour Wash	61	(277)	R26	R132	
8	Colortran 12' 1kW	FOH Colour Wash	60	(273)	R58	R132	
9	Colortran Zoom ERS 15'-35' 1kW	SL Caliper Front Warm	59	(81)	R05	R119	
10	Colortran Zoom ERS 15'-35' 1kW	SL Caliper Front Cool	55	(83)	L201	R119	
11	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	58	(301)			
12	Source 4 10' 575w	Wall Gobo	49	(351)			
13	Colortran Zoom ERS 15'-35' 1kW	Warm Front	56	(1)	R05	R119	
14	Colortran Zoom ERS 15'-35' 1kW	Cool Front	57	(21)	L201	R119	
15	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	53	(302)			
16	Pani Follow Spot 1.2kW	Follow Spot				Note 4	
17	Colortran Zoom ERS 15'-35' 1kW	Warm Front	52	(2)	R05	R119	
18	Colortran Zoom ERS 15'-35' 1kW	Cool Front	51	(22)	L201	R119	
19	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	54	(303)			
20	Colortran Zoom ERS 15'-35' 1kW	Warm Front	50	(3)	R05	R119	
21	Colortran Zoom ERS 15'-35' 1kW	Cool Front	48	(23)	L201	R119	
22	Pani Follow Spot 1.2kW	Follow Spot				Note 4	

NOTES:

4.

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

FOH 2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
23	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	47	(304)			
24	Colortran Zoom ERS 15'-35' 1kW	Warm Front	46	(4)	R05	R119	
25	Colortran Zoom ERS 15'-35' 1kW	Cool Front	45	(24)	L201	R119	
26	Pani Follow Spot 1.2kW	Follow Spot			Note 4		
27	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	43	(305)			
28	Colortran Zoom ERS 15'-35' 1kW	Warm Front	42	(5)	R05	R119	
29	Colortran Zoom ERS 15'-35' 1kW	Cool Front	41	(25)	L201	R119	
30	Source 4 10' 575w	Wall Gobo	49	(351)			
31	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	40	(306)			
32	Colortran Zoom ERS 15'-35' 1kW	SR Caliper Front Warm	44	(82)	R05	R119	
33	Colortran Zoom ERS 15'-35' 1kW	SR Caliper Front Cool	38	(84)	L201	R119	
34	Colortran 12' 1kW	FOH Colour Wash	35	(275)	R68	R132	
35	Colortran 12' 1kW	FOH Colour Wash	34	(271)	R23	R132	
36	Colortran 20' w/Iris 1kW	FOH Colour Wash	37	(276)	R68	R132	
37	Colortran 20' w/Iris 1kW	FOH Colour Wash	36	(272)	R23	R132	
38	Colortran 20' w/Iris 1kW	FOH Colour Wash	35	(275)	R68	R132	
39	Colortran 20' w/Iris 1kW	FOH Colour Wash	34	(271)	R23	R132	
40	Para Zoom 28'-36' 1kW	Curtain Warmer	39	(399)	R26	R132	
41	Para Zoom 28'-36' 1kW	Curtain Warmer	39	(399)	R26	R132	

NOTES:

4.

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

FOH 1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Strand Axial 6x12 1kW	SL Apron Hi-Front	216	(91)	N/C	R119	
2	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	88	(307)			
3	Colortran 20' 1kW	Warm Front	87	(11)	R05	R119	
4	Colortran 20' 1kW	Cool Front	86	(31)	L201	R119	
5	6.25" Color Scroller	Moving Special	876	(118)	Scroll 4		
5	Source 4 19' 750W 750w	Moving Special	217	(118)		R132	
5	I-Cue Mirror 22w	Moving Special	872	(118)			
5	Apollo Auto Iris	Moving Special	877	(118)			
6	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	84	(308)			
7	Colortran 20' 1kW	Warm Front	83	(12)	R05	R119	
8	Colortran 20' 1kW	Cool Front	82	(32)	L201	R119	
9	Strand Axial 6x12 1kW	MSL Apron Hi-Front	218	(92)	N/C	R119	
10	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	80	(309)			
11	Colortran 20' 1kW	Warm Front	79	(13)	R05	R119	
12	Patt 23 20' 500w	Conductor Top Spare	76	(352)	N/C		
13	Colortran 20' 1kW	Cool Front	78	(33)	L201	R119	
14	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	77	(310)			
15	Strand Axial 6x12 1kW	MSR Apron Hi-Front	236	(93)	N/C	R119	
16	Colortran 20' 1kW	Warm Front	75	(14)	R05	R119	
17	Colortran 20' 1kW	Cool Front	74	(34)	L201	R119	
18	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	73	(311)			

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

FOH 1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
19	Source 4 19' 750W 750w	Moving Special	237	(119)		R132	
19	I-Cue Mirror 22w	Moving Special	878	(119)			
19	Apollo Auto Iris	Moving Special	883	(119)			
20	6.25" Color Scroller	Moving Special	882	(119)	Scroll 4		
20	Colortran 20' 1kW	Warm Front	71	(15)	R05	R119	
21	Colortran 20' 1kW	Cool Front	70	(35)	L201	R119	
22	Colortran Zoom ERS 15'-35' w/ iris 1kW	Spare	69	(312)			
23	Strand Axial 6x12 1kW	SR Apron Hi-Front	238	(94)	N/C	R119	

FOH 1A

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Patt 23 20' 500w	SL Caliper Stair Top	92	(395)	N/C	R119	
2	Patt 23 20' 500w	SL Caliper Stair Top	92	(395)	N/C	R119	
3	Colortran Zoom ERS 15'-35' 1kW	Warm Front	89	(6)	R05	R119	
4	Colortran Zoom ERS 15'-35' 1kW	Cool Front	85	(26)	L201	R119	
5	Colortran Zoom ERS 15'-35' 1kW	Warm Front	90	(7)	R05	R119	
6	Colortran Zoom ERS 15'-35' 1kW	Cool Front	93	(27)	L201	R119	
7	Colortran Zoom ERS 15'-35' 1kW	Warm Front	81	(8)	R05	R119	
8	Colortran Zoom ERS 15'-35' 1kW	Cool Front	72	(28)	L201	R119	
9	Colortran Zoom ERS 15'-35' 1kW	Warm Front	68	(9)	R05	R119	
10	Colortran Zoom ERS 15'-35' 1kW	Cool Front	67	(29)	L201	R119	
11	Colortran Zoom ERS 15'-35' 1kW	Warm Front	66	(10)	R05	R119	
12	Colortran Zoom ERS 15'-35' 1kW	Cool Front	65	(30)	L201	R119	
13	Patt 23 20' 500w	SR Caliper Stair Top	64	(396)	N/C	R119	
14	Patt 23 20' 500w	SR Caliper Stair Top	64	(396)	N/C	R119	

Apron Ceiling

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Strand Axial 6x9 1kW	DSL Apron Top	266	(95)	N/C	R132	
2	Strand Axial 6x9 1kW	DSL Apron Top	266	(95)	N/C	R132	
3	Strand Axial 6x9 1kW	DC Apron Top	267	(96)	N/C	R132	
4	Patt 23 20' 500w	Conductor Top	268	(353)	N/C	R132	
5	Strand Axial 6x9 1kW	DC Apron Top	267	(96)	N/C	R132	
6	Strand Axial 6x9 1kW	DSR Apron Top	265	(97)	N/C	R132	
7	Strand Axial 6x9 1kW	DSR Apron Top	265	(97)	N/C	R132	
8	Patt 23 20' 500w	Podium Top	264	(354)	N/C	R132	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 26' 575w	DSL Cool Hi-Side<	94	(164)	R64	R119	
2	Source 4 26' 575w	DSL Warm Hi-Side<	95	(124)	L162	R119	
3	Source 4 26' 575w	DSC Cool Hi-Side<	96	(165)	R64	R119	
4	Source 4 26' 575w	DSC Warm Hi-Side<	97	(125)	L162	R119	
5	Source 4 36' 575w	Spare	98	(313)			
6	Source 4 36' 575w	Cool Top	99	(61)	R68	R119 +HS	
7	Source 4 36' 575w	Apollo Top	100	(41)		R119	
7	Apollo Scroller 22w	Apollo Top	513	(41)	Scroll 1		
8	Source 4 26' 575w	Spare	101	(314)			
9	VL 3500 Spot 1.2kW	Moving Special	669	(101)			Br
10	Source 4 26' 575w	DSR Cool Hi-Side<	102	(166)	R64	R119	
11	Source 4 26' 575w	DSR Warm Hi-Side<	103	(126)	L162	R119	
12	Source 4 36' 575w	Cool Top	104	(62)	R68	R119 +HS	
13	Source 4 36' 575w	Apollo Top	105	(42)		R119	
13	Apollo Scroller 22w	Apollo Top	514	(42)	Scroll 1		
14	Source 4 36' 575w	Spare	106	(315)			
15	Source 4 26' 575w	Spare	107	(316)			
16	Source 4 36' 575w	Spare	108	(317)			
17	Source 4 26' 575w	Spare	109	(318)			
18	Source 4 36' 575w	Cool Top	110	(63)	R68	R119 +HS	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
19	Source 4 36' 575w	Apollo Top	244	(43)		R119	
19	Apollo Scroller 22w	Apollo Top	515	(43)	Scroll 1		
20	Source 4 26' 575w	Spare	245	(319)			
21	Source 4 36' 575w	Spare	246	(320)			
22	Source 4 26' 575w	Spare	247	(321)			
23	Source 4 36' 575w	Spare	248	(322)			
24	Source 4 36' 575w	Cool Top	249	(64)	R68	R119 +HS	
25	Source 4 36' 575w	Apollo Top	250	(44)		R119	
25	Apollo Scroller 22w	Apollo Top	516	(44)	Scroll 1		
26	Source 4 26' 575w	DSL Warm Hi-Side>	251	(144)	L162	R119	
27	Source 4 26' 575w	DSL Cool Hi-Side>	252	(184)	R64	R119	
28	VL 3500 Spot 1.2kW	Moving Special	700	(102)			Br
29	Source 4 26' 575w	Spare	253	(323)			
30	Source 4 36' 575w	Cool Top	254	(65)	R68	R119 +HS	
31	Source 4 36' 575w	Apollo Top	255	(45)		R119	
31	Apollo Scroller 22w	Apollo Top	517	(45)	Scroll 1		
32	Source 4 36' 575w	Spare	256	(324)			
33	Source 4 26' 575w	Podium	257	(325)			
34	Source 4 26' 575w	DSC Warm Hi-Side>	258	(145)	L162	R119	
35	Source 4 26' 575w	DSC Cool Hi-Side>	259	(185)	R64	R119	
36	Source 4 26' 575w	DSR Warm Hi-Side>	260	(146)	L162	R119	
37	Source 4 26' 575w	DSR Cool Hi-Side>	261	(186)	R64	R119	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 26' 575w	MSL Warm Hi-Side<	119	(127)	L162	R119	
2	Source 4 26' 575w	MSL Cool Hi-Side<	120	(167)	R64	R119	
3	Source 4 26' 575w	MSC Warm Hi-Side<	121	(128)	L162	R119	
4	Source 4 26' 575w	MSC Cool Hi-Side<	122	(168)	R64	R119	
5	Source 4 36'+GOBO 575w	CXI Di Bax	123	(241)			
5	CXI COLOR MIXER 36w		533	(241)			
6	Strand Axial 6x9 1kW	Warm Front	124	(16)	R05	R119	
7	Source 4 36' 575w	Cool Top	125	(66)	R68	R119 +HS	
8	Source 4 36' 575w	Apollo Top	126	(46)		R119	
8	Apollo Scroller 22w	Apollo Top	518	(46)	Scroll 1		
9	Strand Axial 6x9 1kW	Cool Front	127	(36)	L201	R119	
10	VL 3500 Spot 1.2kW	Moving Special	731	(103)			Br
11	Source 4 26' 575w	MSR Warm Hi-Side<	128	(129)	L162	R119	
12	Source 4 26' 575w	MSR Cool Hi-Side<	134	(169)	R64	R119	
13	Strand Axial 6x9 1kW	Warm Front	135	(17)	R05	R119	
14	Source 4 36' 575w	Cool Top	136	(67)	R68	R119 +HS	
15	Source 4 36' 575w	Apollo Top	137	(47)		R119	
15	Apollo Scroller 22w	Apollo Top	519	(47)	Scroll 1		
16	Strand Axial 6x9 1kW	Cool Front	138	(37)	L201	R119	
17	Source 4 36'+GOBO 575w	CXI Di Bax	139	(242)			
17	CXI COLOR MIXER 36w		535	(242)			
18	Source 4 26' 575w	Spare	140	(326)			
19	Strand Axial 6x9 1kW	Warm Front	141	(18)	R05	R119	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
20	Source 4 36' 575w	Cool Top	142	(68)	R68	R119 +HS	
21	Source 4 36' 575w	Apollo Top	269	(48)		R119	
21	Apollo Scroller 22w	Apollo Top	520	(48)	Scroll 1		
22	Strand Axial 6x9 1kW	Cool Front	270	(38)	L201	R119	
23	Source 4 26' 575w	Spare	271	(327)			
24	Source 4 36'+GOBO 575w	CXI Di Bax	272	(243)			
24	CXI COLOR MIXER 36w		537	(243)			
25	Strand Axial 6x9 1kW	Warm Front	273	(19)	R05	R119	
26	Source 4 36' 575w	Cool Top	274	(69)	R68	R119 +HS	
27	Source 4 36' 575w	Apollo Top	275	(49)		R119	
27	Apollo Scroller 22w	Apollo Top	521	(49)	Scroll 1		
28	Strand Axial 6x9 1kW	Cool Front	276	(39)	L201	R119	
29	Source 4 26' 575w	MSL Cool Hi-Side>	277	(187)	R64	R119	
30	Source 4 26' 575w	MSLWarm Hi-Side>	278	(147)	L162	R119	
31	VL 3500 Spot 1.2kW	Moving Special	762	(104)			Br
32	Strand Axial 6x9 1kW	Warm Front	284	(20)	R05	R119	
33	Source 4 36' 575w	Cool Top	285	(70)	R68	R119 +HS	
34	Source 4 36' 575w	Apollo Top	286	(50)		R119	
34	Apollo Scroller 22w	Apollo Top	522	(50)	Scroll 1		
35	Strand Axial 6x9 1kW	Cool Front	287	(40)	L201	R119	
36	Source 4 36'+GOBO 575w	CXI Di Bax	288	(244)			
36	CXI COLOR MIXER 36w		539	(244)			
37	Source 4 26' 575w	MSC Cool Hi-Side>	289	(188)	R64	R119	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
38	Source 4 26' 575w	MSC Warm Hi-Side>	290	(148)	L162	R119	
39	Source 4 26' 575w	MSC Cool Hi-Side>	291	(189)	R64	R119	
40	Source 4 26' 575w	MSC Warm Hi-Side>	292	(149)	L162	R119	

LX 3

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	VLX LED Wash 840w	Moving Wash	1025	(111)			1/147
2	Source 4 36' 575w	Spare	144	(328)			
3	VL-1000 AS 575w	Moving Special	561	(105)			1/148
4	Source 4 36' 575w	Spare	145	(329)			
5	VL-1000 AS 575w	Moving Special	588	(106)			1/279
6	Source 4 36' 575w	Spare	146	(330)			
7	VLX LED Wash 840w	Moving Wash	1097	(112)			1/280
8	Source 4 36' 575w	Spare	294	(331)			
9	VL-1000 AS 575w	Moving Special	615	(107)			1/281
10	Source 4 36' 575w	Spare	295	(332)			
11	VL-1000 AS 575w	Moving Special	642	(108)			1/282
12	Source 4 36' 575w	Spare	296	(333)			
13	VLX LED Wash 840w	Moving Wash	1169	(113)			1/297

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 4

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 26' 575w	USL Warm Hi-Side<	363	(130)	L162	R119	
2	Source 4 26' 575w	USL Cool Hi-Side<	364	(170)	R64	R119	
3	Source 4 26' 575w	USC Warm Hi-Side<	149	(131)	L162	R119	
4	Source 4 26' 575w	USC Cool Hi-Side<	150	(171)	R64	R119	
5	Source 4 36'+GOBO 575w	CXI Di Bax	151	(245)			
5	CXI COLOR MIXER 36w		541	(245)			
6	Source 4 36' 575w	Cool Top	152	(71)	R68	R119 +HS	
7	Source 4 36' 575w	Apollo Top	153	(51)		R119	
7	Apollo Scroller 22w	Apollo Top	523	(51)	Scroll 1		
8	Source 4 36' 575w	Spare	154	(334)			
9	Source 4 36' 575w	Spare	155	(335)			
10	Source 4 26' 575w	USR Warm Hi-Side<	156	(132)	L162	R119	
11	Source 4 26' 575w	USR Cool Hi-Side<	157	(172)	R64	R119	
12	Source 4 36' 575w	Cool Top	158	(72)	R68	R119 +HS	
13	Source 4 36' 575w	Apollo Top	159	(52)		R119	
13	Apollo Scroller 22w	Apollo Top	524	(52)	Scroll 1		
14	Source 4 36'+GOBO 575w	CXI Di Bax	160	(246)			
14	CXI COLOR MIXER 36w		543	(246)			
15	Source 4 36' 575w	Spare	161	(336)			
16	Source 4 26' 575w	Spare	162	(337)			
17	Source 4 36' 575w	Cool Top	163	(73)	R68	R119 +HS	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 4

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
18	Source 4 36' 575w	Apollo Top	299	(53)		R119	
18	Apollo Scroller 22w	Apollo Top	525	(53)	Scroll 1		
19	Source 4 26' 575w	Spare	300	(338)			
20	Source 4 36' 575w	Spare	301	(339)			
21	Source 4 36'+GOBO 575w	CXI Di Bax	302	(247)			
21	CXI COLOR MIXER 36w		545	(247)			
22	Source 4 36' 575w	Cool Top	303	(74)	R68	R119 +HS	
23	Source 4 36' 575w	Apollo Top	304	(54)		R119	
23	Apollo Scroller 22w	Apollo Top	526	(54)	Scroll 1		
24	Source 4 26' 575w	USL Cool Hi-Side>	305	(190)	R64	R119	
25	Source 4 26' 575w	USL Warm Hi-Side>	306	(150)	L162	R119	
26	Source 4 36' 575w	Spare	307	(340)			
27	Source 4 36' 575w	Spare	308	(341)			
28	Source 4 36' 575w	Cool Top	309	(75)	R68	R119 +HS	
29	Source 4 36' 575w	Apollo Top	310	(55)		R119	
29	Apollo Scroller 22w	Apollo Top	527	(55)	Scroll 1		
30	Source 4 36'+GOBO 575w	CXI Di Bax	311	(248)			
30	CXI COLOR MIXER 36w		547	(248)			
31	Source 4 26' 575w	USC Cool Hi-Side>	312	(191)	R64	R119	
32	Source 4 26' 575w	USC Warm Hi-Side>	313	(151)	L162	R119	
33	Source 4 26' 575w	USR Cool Hi-Side>	387	(192)	R64	R119	
34	Source 4 26' 575w	USR Warm Hi-Side>	388	(152)	L162	R119	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 5

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 36' 575w	FUSL Warm Hi-Side<	179	(133)	L162	R119	
2	Source 4 36' 575w	FUSL Cool Hi-Side<	180	(173)	R64	R119	
3	Source 4 26' 575w	FUSR Warm Hi-Side<	181	(134)	L162	R119	
4	Source 4 26' 575w	FUSR Cool Hi-Side<	182	(174)	R64	R119	
5	Source 4 36'+GOBO 575w	CXI Di Bax	183	(249)			
5	CXI COLOR MIXER 36w		549	(249)			
6	Source 4 36' 575w	Spare	184	(342)			
7	Source 4 50' 575w	Cool Top	185	(76)	R68	R119 +HS	
8	Source 4 50' 575w	Apollo Top	186	(56)		R119	
8	Apollo Scroller 22w	Apollo Top	528	(56)	Scroll 1		
9	VLX LED Wash 840w	Moving Wash	1241	(114)			1/187
10	Patt 223 8" Fresnel+10" Barn Door 1kW	US Blue Top	189	(79)	R80		
11	Source 4 36'+GOBO 575w	CXI Di Bax	190	(250)			
11	CXI COLOR MIXER 36w		551	(250)			
12	Source 4 36' 575w	Spare	191	(343)			
13	Source 4 36' 575w	Spare	192	(344)			
14	Source 4 50' 575w	Cool Top	193	(77)	R68	R119 +HS	
15	VLX LED Wash 840w	Moving Wash	1313	(115)			1/188
16	Source 4 50' 575w	Apollo Top	329	(57)		R119	
16	Apollo Scroller 22w	Apollo Top	529	(57)	Scroll 1		
17	Source 4 36' 575w	Spare	330	(345)			
18	Source 4 36' 575w	Spare	331	(346)			

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 5

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
19	Source 4 36'+GOBO 575w	CXI Di Bax	332	(251)			
19	CXI COLOR MIXER 36w		553	(251)			
20	Patt 223 8" Fresnel+10" Barn Door 1kW	US Blue Top	333	(80)	R80		
21	VLX 7w	Moving Wash	1385	(116)			1/335
22	Source 4 50' 575w	Cool Top	334	(78)	R68	R119 +HS	
23	Source 4 50' 575w	Apollo Top	337	(58)		R119	
23	Apollo Scroller 22w	Apollo Top	530	(58)	Scroll 1		
24	Source 4 36' 575w	Spare	338	(347)			
25	Source 4 36'+GOBO 575w	CXI Di Bax	339	(252)			
25	CXI COLOR MIXER 36w		555	(252)			
26	Source 4 26' 575w	FUSL Cool Hi-Side>	340	(193)	R64	R119	
27	Source 4 26' 575w	FUSL Warm Hi-Side>	341	(153)	L162	R119	
28	Source 4 36' 575w	FUSR Cool Hi-Side>	342	(194)	R64	R119	
29	Source 4 36' 575w	FUSR Warm Hi-Side>	343	(154)	L162	R119	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 6

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
A1	Strand Iris Cyc L 1kW	Red Cyc	194	(282)	R27	R104	
A2	Strand Iris Cyc 1kW	Blue Cyc	195	(284)	R83	R104	
A3	Strand Iris Cyc R 1kW	Green Cyc	196	(286)	R90	R104	
B1	Strand Iris Cyc L 1kW	Red Cyc	194	(282)	R27	R104	
B2	Strand Iris Cyc 1kW	Blue Cyc	195	(284)	R83	R104	
B3	Strand Iris Cyc R 1kW	Green Cyc	196	(286)	R90	R104	
C1	Strand Iris Cyc L 1kW	Red Cyc	197	(281)	R27	R104	
C2	Strand Iris Cyc 1kW	Blue Cyc	198	(283)	R83	R104	
C3	Strand Iris Cyc R 1kW	Green Cyc	199	(285)	R90	R104	
D1	Strand Iris Cyc L 1kW	Red Cyc	197	(281)	R27	R104	
D2	Strand Iris Cyc 1kW	Blue Cyc	198	(283)	R83	R104	
D3	Strand Iris Cyc R 1kW	Green Cyc	199	(285)	R90	R104	
E1	Strand Iris Cyc L 1kW	Red Cyc	200	(281)	R27	R104	
E2	Strand Iris Cyc 1kW	Blue Cyc	201	(283)	R83	R104	
E3	Strand Iris Cyc R 1kW	Green Cyc	344	(285)	R90	R104	
F1	Strand Iris Cyc L 1kW	Red Cyc	200	(281)	R27	R104	
F2	Strand Iris Cyc 1kW	Blue Cyc	201	(283)	R83	R104	
F3	Strand Iris Cyc R 1kW	Green Cyc	344	(285)	R90	R104	
G1	Strand Iris Cyc L 1kW	Red Cyc	345	(281)	R27	R104	
G2	Strand Iris Cyc 1kW	Blue Cyc	346	(283)	R83	R104	
G3	Strand Iris Cyc R 1kW	Green Cyc	347	(285)	R90	R104	
H1	Strand Iris Cyc L 1kW	Red Cyc	345	(281)	R27	R104	
H2	Strand Iris Cyc 1kW	Blue Cyc	346	(283)	R83	R104	
H3	Strand Iris Cyc R 1kW	Green Cyc	347	(285)	R90	R104	
I1	Strand Iris Cyc L 1kW	Red Cyc	348	(282)	R27	R104	
I2	Strand Iris Cyc 1kW	Blue Cyc	349	(284)	R83	R104	
I3	Strand Iris Cyc R 1kW	Green Cyc	350	(286)	R90	R104	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

LX 6

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
J1	Strand Iris Cyc L 1kW	Red Cyc	348	(282)	R27	R104	
J2	Strand Iris Cyc 1kW	Blue Cyc	349	(284)	R83	R104	
J3	Strand Iris Cyc R 1kW	Green Cyc	350	(286)	R90	R104	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

GROUNDROW

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
A1	Aurora Groundrow L 1kW	Green Groundrow	400	(296)	R90	R104	
A2	Aurora Groundrow CL 1kW	Red Groundrow	401	(292)	R27	R104	
A3	Aurora Groundrow 1kW	Blue Groundrow	402	(294)	R83	R104	
A4	Aurora Groundrow R 1kW	Amber Groundrow	403	(298)	R21	R104	

B1	Aurora Groundrow L 1kW	Green Groundrow	400	(296)	R90	R104	
B2	Aurora Groundrow CL 1kW	Red Groundrow	401	(292)	R27	R104	
B3	Aurora Groundrow 1kW	Blue Groundrow	402	(294)	R83	R104	
B4	Aurora Groundrow R 1kW	Amber Groundrow	403	(298)	R21	R104	

C1	Aurora Groundrow L 1kW	Green Groundrow	404	(296)	R90	R104	
C2	Aurora Groundrow CL 1kW	Red Groundrow	405	(292)	R27	R104	
C3	Aurora Groundrow 1kW	Blue Groundrow	406	(294)	R83	R104	
C4	Aurora Groundrow R 1kW	Amber Groundrow	407	(298)	R21	R104	

D1	Aurora Groundrow L 1kW	Green Groundrow	404	(296)	R90	R104	
D2	Aurora Groundrow CL 1kW	Red Groundrow	405	(292)	R27	R104	
D3	Aurora Groundrow 1kW	Blue Groundrow	406	(294)	R83	R104	
D4	Aurora Groundrow R 1kW	Amber Groundrow	407	(298)	R21	R104	

E1	Aurora Groundrow L 1kW	Green Groundrow	408	(295)	R90	R104	
E2	Aurora Groundrow CL 1kW	Red Groundrow	409	(291)	R27	R104	
E3	Aurora Groundrow 1kW	Blue Groundrow	410	(293)	R83	R104	
E4	Aurora Groundrow R 1kW	Amber Groundrow	411	(297)	R21	R104	

F1	Aurora Groundrow L 1kW	Green Groundrow	412	(295)	R90	R104	
F2	Aurora Groundrow CL 1kW	Red Groundrow	413	(291)	R27	R104	
F3	Aurora Groundrow 1kW	Blue Groundrow	414	(293)	R83	R104	
F4	Aurora Groundrow R 1kW	Amber Groundrow	415	(297)	R21	R104	

G1	Aurora Groundrow L 1kW	Green Groundrow	408	(295)	R90	R104	
G2	Aurora Groundrow CL 1kW	Red Groundrow	409	(291)	R27	R104	
G3	Aurora Groundrow 1kW	Blue Groundrow	410	(293)	R83	R104	
G4	Aurora Groundrow R 1kW	Amber Groundrow	411	(297)	R21	R104	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

GROUNDROW

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
H1	Aurora Groundrow L 1kW	Green Groundrow	416	(296)	R90	R104	
H2	Aurora Groundrow CL 1kW	Red Groundrow	417	(292)	R27	R104	
H3	Aurora Groundrow 1kW	Blue Groundrow	418	(294)	R83	R104	
H4	Aurora Groundrow R 1kW	Amber Groundrow	419	(298)	R21	R104	

I1	Aurora Groundrow L 1kW	Green Groundrow	416	(296)	R90	R104	
I2	Aurora Groundrow CL 1kW	Red Groundrow	417	(292)	R27	R104	
I3	Aurora Groundrow 1kW	Blue Groundrow	418	(294)	R83	R104	
I4	Aurora Groundrow R 1kW	Amber Groundrow	419	(298)	R21	R104	

J1	Aurora Groundrow L 1kW	Green Groundrow	420	(296)	R90	R104	
J2	Aurora Groundrow CL 1kW	Red Groundrow	421	(292)	R27	R104	
J3	Aurora Groundrow 1kW	Blue Groundrow	422	(294)	R83	R104	
J4	Aurora Groundrow R 1kW	Amber Groundrow	423	(298)	R21	R104	

K1	Aurora Groundrow L 1kW	Green Groundrow	420	(296)	R90	R104	
K2	Aurora Groundrow CL 1kW	Red Groundrow	421	(292)	R27	R104	
K3	Aurora Groundrow 1kW	Blue Groundrow	422	(294)	R83	R104	
K4	Aurora Groundrow R 1kW	Amber Groundrow	423	(298)	R21	R104	

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

SL BOX BOOM

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 19'+6.25" Top Hat 575w	Apron Cool Hi-Side<	204	(163)	R64	R132	
2	Source 4 19' 575w	Apron Warm Hi-Side<	205	(123)	L162	R132	
3	Source 4 26'+6.25" Top Hat 575w	Apron Cool Hi-Side<	206	(162)	R64	R132	
4	Source 4 26' 575w	Apron Warm Hi-Side<	207	(122)	L162	R132	
5	Source 4 36'+6.25" Top Hat 575w	Apron Cool Hi-Side<	208	(161)	R64	R132	
6	Source 4 36' 575w	Apron Warm Hi-Side<	209	(121)	L162	R132	
7	Para Zoom 28'-36' 1kW	Apron Cool Side Far<	210	(223)	R67	R132	
8	Para Zoom 28'-36' 1kW	Apron Warm Side Far<	211	(203)	R34	R132	
9	Para Zoom 28'-36' 1kW	Apron Cool Sidefill<	212	(222)	R67	R132	
10	Para Zoom 28'-36' 1kW	Apron Warm Sidefill<	213	(202)	R34	R132	
11	Para Zoom 28'-36' 1kW	Apron Cool Side Near<	214	(221)	R67	R132	
12	Para Zoom 28'-36' 1kW	Apron Warm Side Near<	215	(201)	R34	R132	

SR BOX BOOM

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Source 4 19'+6.25" Top Hat 575w	Apron Cool Hi-Side>	224	(181)	R64	R132	
2	Source 4 19' 575w	Apron Warm Hi-Side>	225	(141)	L162	R132	
3	Source 4 26'+6.25" Top Hat 575w	Apron Cool Hi-Side>	226	(182)	R64	R132	
4	Source 4 26' 575w	Apron Warm Hi-Side>	227	(142)	L162	R132	
5	Source 4 36'+6.25" Top Hat 575w	Apron Cool Hi-Side>	228	(183)	R64	R132	
6	Source 4 36' 575w	Apron Warm Hi-Side>	229	(143)	L162	R132	
7	Para Zoom 28'-36' 1kW	Apron Cool Side Far>	230	(231)	R67	R132	
8	Para Zoom 28'-36' 1kW	Apron Warm Side Far>	231	(211)	R34	R132	
9	Para Zoom 28'-36' 1kW	Apron Cool Sidefill>	232	(232)	R67	R132	
10	Para Zoom 28'-36' 1kW	Apron Warm Sidefill>	233	(212)	R34	R132	
11	Para Zoom 28'-36' 1kW	Apron Cool Side Near>	234	(233)	R67	R132	
12	Para Zoom 28'-36' 1kW	Apron Warm Side Near>	235	(213)	R34	R132	

SL LADDER #1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	DS Warm Side<	372	(204)	R34	R132	
2	Colortran 20' 1kW	DS Cool Side<	373	(224)	R67	R132	
3	5/50-30j 1kW	DS Warm Side<	372	(204)	R34	R132	
4	5/50-30j 1kW	DS Cool Side<	373	(224)	R67	R132	

SR LADDER #1

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	DS Warm Side>	374	(214)	R34	R132	
2	Colortran 20' 1kW	DS Cool Side>	375	(234)	R67	R132	
3	5/50-30j 1kW	DS Warm Side>	374	(214)	R34	R132	
4	5/50-30j 1kW	DS Cool Side>	375	(234)	R67	R132	

SL LADDER #2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	CS Warm Side<	367	(205)	R34	R132	
2	Colortran 20' 1kW	CS Cool Side<	368	(225)	R67	R132	
3	5/50-30j 1kW	CS Warm Side<	367	(205)	R34	R132	
4	5/50-30j 1kW	CS Cool Side<	368	(225)	R67	R132	

SR LADDER #2

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	CS Warm Side>	379	(215)	R34	R132	
2	Colortran 20' 1kW	CS Cool Side>	380	(235)	R67	R132	
3	5/50-30j 1kW	CS Warm Side>	379	(215)	R34	R132	
4	5/50-30j 1kW	CS Cool Side>	380	(235)	R67	R132	

SL LADDER #3

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	US Warm Side<	361	(206)	R34	R132	
2	Colortran 20' 1kW	US Cool Side<	362	(226)	R67	R132	
3	5/50-30j 1kW	US Warm Side<	361	(206)	R34	R132	
4	5/50-30j 1kW	US Cool Side<	362	(226)	R67	R132	

SR LADDER #3

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	US Warm Side>	385	(216)	R34	R132	
2	Colortran 20' 1kW	US Cool Side>	386	(236)	R67	R132	
3	5/50-30j 1kW	US Warm Side>	385	(216)	R34	R132	
4	5/50-30j 1kW	US Cool Side>	386	(236)	R67	R132	

SL LADDER #4

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	FUS Warm Side<	354	(207)	R34	R132	
2	Colortran 20' 1kW	FUS Cool Side<	355	(227)	R67	R132	
3	5/50-30j 1kW	FUS Warm Side<	354	(207)	R34	R132	
4	5/50-30j 1kW	FUS Cool Side<	355	(227)	R67	R132	

SR LADDER #4

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	Colortran 20' 1kW	FUS Warm Side>	392	(217)	R34	R132	
2	Colortran 20' 1kW	FUS Cool Side>	393	(237)	R67	R132	
3	5/50-30j 1kW	FUS Warm Side>	392	(217)	R34	R132	
4	5/50-30j 1kW	FUS Cool Side>	393	(237)	R67	R132	

SL Gallery

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
	NonDim	DMX OPTO Power	359	(361)			1/359
	NonDim	SCROLLER POWER	360	(362)			1/360

EHT House Pl... INSTRUMENT SCHEDULE

EHT House Plot MAY2016.lw5

5/27/2016

SL Floor

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
	MDG Atmosphere 715w	Hazer Heat	1017	(371)			Ac
	MDG Atmosphere Haze 715w	Hazer Haze	1018	(372)			Ac

MISC

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
	Breaker	VL3500 POWER		(Br)			
	NonDim	VL1K POWER SR	282	(366)			1/282
	NonDim	VL1K POWER MSR	281	(365)			1/281
	NonDim	VL1K POWER MSL	279	(364)			1/279
	NonDim	VL1K POWER SL	148	(363)			1/148
	NonDim	VLX POWER DSR	297	(367)			1/297
	NonDim	VLX POWER DSL	147	(367)			1/147
	NonDim	VLX POWER USR	335	(368)			1/335
	NonDim	VLX POWER USL	187	(368)			1/187
	NonDim	VLX POWER DSC	280	(367)			1/280
	NonDim	VLX POWER USC	188	(368)			1/188

HOUSE

U#	Inst Type & Access & Watt	Purpose	Dim	Chan	Color	Frost	Pwr
1	House Light	HOUSE LIGHTS	510	(400)			
2	House Light	HOUSE LIGHTS	511	(400)			
3	House Light	HOUSE LIGHTS	512	(400)			